

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom

2012

Reviewed on 08/19/2021

Printing date 08/19/2021

Version: 1.1

1 Identification

Product identifier

Product name: IRF4 UV LED Ink, White

Article number: I-4104

Details of the supplier of the safety data sheet

Direct Color Systems 99 Hammer Mill Rd. Rocky Hill, CT 06067-USA **Manufacturer/Supplier:** Direct Color Systems 99 Hammer Mill Rd. Rocky Hill, CT 06067-USA **Emergency telephone number US:** 24/7 CHEMTREC 1-800-424-9300 **Emergency telephone number International:** 24/7 CHEMTREC +1 703-527-3887

2 Hazard(s) identification

Classification of the substance or mixture

Flam. Liq. 4 H227 Combustible liquid.
Acute Tox. 4 H302 Harmful if swallowed.
Skin Corr. 1C H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Carc. 2 H351 Suspected of causing cancer.

Repr. 1B H360 May damage fertility or the unborn child.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Hazard pictograms**



GHS05 GHS07 GHS08

Signal word Danger

Hazard-determining components of labeling:

Tetrahydrofurfuryl Acrylate Isobournyl Acrylate titanium dioxide 2H-Azepin-2-one, 1-ethenylhexahydro-Dipropylene glycol diacrylate Amine Acrylate Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 08/19/2021

Version: 1.1

Reviewed on 08/19/2021

Product name: IRF4 UV LED Ink, White

Hazard statements Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage.
Harmful if swallowed. Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
Suspected of causing cancer.
May damage fertility or the unborn child.
May cause respiratory irritation.
Causes damage to organs through prolonged or repeated exposure.
Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from flames and hot surfaces No smoking.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Get medical advice/attention if you feel unwell.
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:	
5888-33-5 Isobournyl Acrylate	25 - 50%
Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	
2399-48-6 Tetrahydrofurfuryl Acrylate	2.5 - 10%
Repr. 1B, H360; Skin Corr. 1C, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1, H317; Flam. Liq. 4, H227	
13463-67-7 titanium dioxide	≥ 2.5 - ≤ 10%
Carc. 2, H351	
75980-60-8 Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	2.5 - 10%
Repr. 2, H361	
Repr. 2, H361	

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 08/19/2021

Version: 1.1

Reviewed on 08/19/2021

Product name: IRF4 UV LED Ink, White

57472-68-1 Dipropylene glycol diacrylate	≥0-≤10%
Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317	
2235-00-9 2H-Azepin-2-one, 1-ethenylhexahydro-	≤ 2.5%
STOT RE 1, H372; Acute Tox. 4, H302; Acute Tox. 4, H312; Eye Irrit. 2A, H319; Skin Sens. 1, H317	
Amine Acrylate	≤ 2.5%
Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H336; Eye Irrit. 2B, H320	
Additional information:	

The specific chemical identity of composition and exact percentage is being withheld as a trade secret. The specific chemical identity and exact percentage is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

4 First-aid measures

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 08/19/2021

Version: 1.1

Reviewed on 08/19/2021

Product name: IRF4 UV LED Ink, White

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 8 for mormation on personal protection equ

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about protection against explosions and fires: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements. **Information about storage in one common storage facility:** Not required. **Further information about storage conditions:** Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 08/19/2021

?

Version: 1.1

Reviewed on 08/19/2021

Product name: IRF4 UV LED Ink, White

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye protection:**

Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and c General Information	chemical properties
Appearance: Form: Color: Odor: Odor threshold:	Liquid White Characteristic Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.
Flash point:	93 °C (199.4 °F)
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Not determined.
Explosion limits: Lower: Upper:	Not determined. Not determined.
Vapor pressure:	Not determined.
Density: Relative density Vapor density Evaporation rate	Not determined. Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/wa	ater): Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 08/19/2021

Version: 1.1

Reviewed on 08/19/2021

Product name: IRF4 UV LED Ink, White

Other information

No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available. **Chemical stability**

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 1,190 mg/kg

Dermal LD50 44,898 mg/kg

2399-48-6 Tetrahydrofurfuryl Acrylate

Oral LD50 928 mg/kg (rat)

13463-67-7 titanium dioxide

Oral LD50 > 20,000 mg/kg (rat)

Dermal LD50 > 10,000 mg/kg (rabbit)

Inhalative LC50/4 h mg/l (rat)

2235-00-9 2H-Azepin-2-one, 1-ethenylhexahydro-

Oral LD50 500 mg/kg (ATE)

Dermal LD50 1,100 mg/kg (ATE)

Primary irritant effect:

on the skin: Caustic effect on skin and mucous membranes.

on the eye: Strong caustic effect.

Sensitization: Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

13463-67-7 titanium dioxide: 2B

105-60-2 1,6-hexanolactam: 3

108-88-3 Toluene: 3

NTP (National Toxicology Program)

None of the ingredients is listed.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 08/19/2021

Version: 1.1

Reviewed on 08/19/2021

Product name: IRF4 UV LED Ink, White

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Reproductive toxicity

2399-48-6 Tetrahydrofurfuryl Acrylate

Oral NOAEL 120 mg/kg/day (rat)

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: Harmful to fish

Additional ecological information:

General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

UN-Number	
DOT	not regulated
IMDG, IATA	UN3082
UN proper shipping name	
DOT	not regulated
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (Tetrahydrofurfuryl Acrylate, Isobournyl Acrylate), MARINE
	POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (Tetrahydrofurfuryl Acrylate, Isobournyl Acrylate)

US

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 08/19/2021

Version: 1.1

Reviewed on 08/19/2021

Product name:	IRF4	UV	LED	Ink,	White
----------------------	------	----	-----	------	-------

Transport hazard class(es)	
DOT	
Class	not regulated
IMDG, IATA	
Ο	
Class	9 Miscellaneous dangerous substances and articles
Label	9
Packing group	
DOT	not regulated
IMDG, IATA	Ш
Environmental hazards:	
Marine pollutant:	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Hazard identification number (Ken	
EMS Number:	F-A,S-F
Stowage Category	A
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
······································	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (TETRAHYDROFURFURYL ACRYLATI
	ISOBOURNYL ACRYLATE), 9, III
Regulatory information	
Safety, health and environmental regul	ations/legislation specific for the substance or mixture
No further relevant information available.	
SARA	
Section 355 (extremely hazardous	substances):
None of the ingredients is listed.	
Section 313 (Specific toxic chemics	ai usungs):
None of the ingredients is listed.	
TSCA (Toxic Substances Control A	ct):
5888-33-5 Isobournyl Acrylate: ACTIV	Е

13463-67-7 titanium dioxide: ACTIVE

75980-60-8 Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide: ACTIVE

57472-68-1 Dipropylene glycol diacrylate: ACTIVE

2235-00-9 2H-Azepin-2-one, 1-ethenylhexahydro-: ACTIVE

Hazardous Air Pollutants

108-88-3 Toluene

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 08/19/2021

Version: 1.1

Reviewed on 08/19/2021

Product name: IRF4 UV LED Ink, White

Proposition 65 Chamicals Images to course compare	
Chemicals known to cause cancer: 13463-67-7 titanium dioxide	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
108-88-3 Toluene	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
108-88-3 Toluene: II	
110-82-7 cyclohexane: I	
TLV (Threshold Limit Value)	
13463-67-7 titanium dioxide: A4	
105-60-2 1,6-hexanolactam: A5	
108-88-3 Toluene: A4	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
13463-67-7 titanium dioxide GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).	
Hazard pictograms	
GHS05 GHS07 GHS08	
Signal word Danger	
Hazard-determining components of labeling:	
Tetrahydrofurfuryl Acrylate	
Isobournyl Acrylate	
titanium dioxide	
2H-Azepin-2-one, 1-ethenylhexahydro-	
Dipropylene glycol diacrylate	
Amine Acrylate	
Hazard statements	
Combustible liquid.	
Harmful if swallowed.	
Causes severe skin burns and eye damage.	
May cause an allergic skin reaction.	
Suspected of causing cancer.	
May damage fertility or the unborn child.	
May cause respiratory irritation.	
Causes damage to organs through prolonged or repeated exposure.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not handle until all safety precautions have been read and understood. Keep away from flames and hot surfaces. – No smoking.	
Do not handle until all safety precautions have been read and understood. Keep away from flames and hot surfaces. – No smoking. Do not breathe dusts or mists.	
Do not handle until all safety precautions have been read and understood. Keep away from flames and hot surfaces. – No smoking.	

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 08/19/2021

Version: 1.1

Reviewed on 08/19/2021

Product name: IRF4 UV LED Ink, White

Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Get medical advice/attention if you feel unwell.
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H227 Combustible liquid.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H320 Causes eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H351 Suspected of causing cancer.
- H360 May damage fertility or the unborn child.
- H361 Suspected of damaging fertility or the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.

Contact:

Abbreviations and acronyms:

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 08/19/2021

Version: 1.1

Reviewed on 08/19/2021

Product name: IRF4 UV LED Ink, White

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 4: Flammable liquids – Category 4 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2 Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2 Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2 Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 Repr. 1B: Reproductive toxicity – Category 1B Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 *** Data compared to the previous version altered.**