



Printing date 24.01.2025

Version number 3.0

Revision: 24.01.2025

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### **1.1 Product identifier**

Trade name: IRF6TUV-LEDInk, Garment Wh

#### Article number: I-6126T

**1.2 Relevant identified uses of the substance or mixture and uses advised against Product category** PC18 Ink and toners **Application of the substance / the mixture** Printing inks

#### Details of the supplier of the safety data sheet

Direct Color Systems
99 Hammer Mill Rd.
Rocky Hill, CT 06067-USA Manufacturer/Supplier:
Direct Color Systems
99 Hammer Mill Rd.
Rocky Hill, CT 06067-USA Emergency telephone number US: 24/7 CHEMTREC 1-800-424-9300 Emergency telephone number International: 24/7 CHEMTREC +1 703-527-3887

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1C	H314 Causes severe skin burns and eye damage.
Eye Dam. 1	H318 Causes serious eye damage.
Skin Sens. 1	H317 May cause an allergic skin reaction.
Repr. 1B	H360 May damage fertility or the unborn child.
STOT SE 3	H336 May cause drowsiness or dizziness.
Aquatic Acute 1	H400 Very toxic to aquatic life.
Aquatic Chronic 2	2 H411 Toxic to aquatic life with long lasting effects.

# 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Danger

**Hazard-determining components of labelling:** Tetrahydrofurfuryl Acrylate 3,3,5-Trimethylcyclohexyl acrylate

(Contd. on page 2)

Version number 3.0

Printing date 24.01.2025

Revision: 24.01.2025

# Trade name: IRF6TUV-LEDInk, Garment Wh

		contd. of page 1)
	nethylbenzoyl)phosphine oxide	
Dipropylene glycol diacrylate		
2-Propenoic acid, 2	2-(2-ethoxyethoxy)ethyl	
ester		
propylidynetrimet	hanol, propoxylated, esters with acrylic acid	
propylidynetrimet	hanol, ethoxylated, esters with acrylic acid	
Hazard statemen	its	
H314 Causes sever	re skin burns and eye damage.	
H317 May cause a	an allergic skin reaction.	
H360 May damage	e fertility or the unborn child.	
H336 May cause d	drowsiness or dizziness.	
H400 Very toxic to	o aquatic life.	
H411 Toxic to aqu	atic life with long lasting effects.	
Precautionary sta	atements	
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read carefully and follow all instructions.	
P264	Wash thoroughly after handling.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protect	
P303+P361+P353	B IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with	water [or
	shower].	
P305+P351+P338	B IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	present and
	easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P321	Specific treatment (see on this label).	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/international reg	gulations.

2.3 Other hazards No additional information available.

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

#### Dangerous components:

Dungerous components.		
CAS: 2399-48-6	Tetrahydrofurfuryl Acrylate	25 - 50%
	Repr. 1B, H360; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Sens. 1, H317	
CAS: 86178-38-3	3,3,5-Trimethylcyclohexyl acrylate	25 - 50%
	Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317; STOT SE 3, H336	
CAS: 53879-54-2	propylidynetrimethanol, propoxylated, esters with acrylic acid	10 - 25%
	Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 7329-17-8	2-Propenoic acid, 2-(2-ethoxyethoxy)ethyl	10 - 25%
	ester	
	Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1A, H317	
CAS: 75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	2.5 - 10%
EINECS: 278-355-8 Index number: 015-203-00-X	Repr. 1B, H360Fd; Skin Sens. 1B, H317	
		> 2.5 < 100/
CAS: 13463-67-7	titanium dioxide	$\geq 2.5 - \leq 10\%$
EINECS: 236-675-5 Index number: 022-006-00-2	Carc. 2, H351	
muex number. 022-000-00-2		(Contd. on page 3)
		(Contra, off Dage 5)

Version number 3.0

Revision: 24.01.2025

#### Trade name: IRF6TUV-LEDInk, Garment Wh

		(Contd. of page 2)
CAS: 57472-68-1	Dipropylene glycol diacrylate	≥1 - <3%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317	
	Ethanol, 2-amino-, polymer with $\alpha$ -hydro- $\omega$ -[(1-oxo-2-propen-1-yl)oxy] poly(oxy-1,2-ethanediyl) ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1)	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 28961-43-5	propylidynetrimethanol, ethoxylated, esters with acrylic acid Eye Irrit. 2, H319; Skin Sens. 1, H317	≥ 0.1 - < 1%

#### **SVHC**

Printing date 24.01.2025

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

#### After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

**Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

#### 5.3 Advice for firefighters

Protective equipment: No special measures required.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

# **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

# 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Printing date 24.01.2025

Version number 3.0

Revision: 24.01.2025

Trade name: IRF6TUV-LEDInk, Garment Wh

Revision: 24.01.2025

(Contd. of page 3)

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 3.0

Trade name: IRF6TUV-LEDInk, Garment Wh

Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation. **6.4 Reference to other sections**See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

Prevent formation of aerosols.

Information about fire - and explosion protection: Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep container tightly sealed.

7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

#### **8.1 Control parameters**

#### Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

#### Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

#### **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use selfcontained respiratory protective device. Hand protection

# PI

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

Version number 3.0

Revision: 24.01.2025

(Contd. of page 4)

#### Trade name: IRF6TUV-LEDInk, Garment Wh

# Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Penetration time of glove material** 

# The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye/face protection**



Printing date 24.01.2025

Tightly sealed goggles

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical propertie	es
General Information	Liquid
Physical state Colour:	Liquid White
Colour: Odour:	Characteristic
0 4041	
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling rang	
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Liquid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
	(

(Contd. on page 6)

Printing date 24.01.2025

Version number 3.0

Revision: 24.01.2025

# Trade name: IRF6TUV-LEDInk, Garment Wh

		(Contd. of page 5)
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammal	ble gases	
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

# **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

**10.2 Chemical stability** 

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)			
Oral	LD50	3,268 mg/kg (rat)	
Dermal	LD50	9,821 mg/kg	
2399-48-	6 Tetrah	ydrofurfuryl Acrylate	
Oral	LD50	928 mg/kg (rat)	
53879-54	4-2 propy	lidynetrimethanol, propoxylated, esters with acrylic acid	
Oral	LD50	> 2,000 mg/kg (rat)	
7329-17-	7329-17-8 2-Propenoic acid, 2-(2-ethoxyethoxy)ethyl		
	ester		
Dermal	LD50	1,100 mg/kg (ATE)	
13463-67-7 titanium dioxide			
Oral	LD50	> 20,000 mg/kg (rat)	
Dermal	LD50	>10,000 mg/kg (rabbit)	
Inhalative LC50/4 h > 6.82 mg/l (rat)			
Primary irritant effect:			
Ski	Skin corrosion/irritation Causes severe skin burns and eye damage.		

Printing date 24.01.2025

Version number 3.0

Revision: 24.01.2025

#### Trade name: IRF6TUV-LEDInk, Garment Wh

	(Contd. of page 6)
Serious eye damage/irritation Causes serious eye damage.	
Respiratory or skin sensitisation May cause an allergic skin reaction.	
Germ cell mutagenicity Based on available data, the classification criteria are not met.	
Carcinogenicity Based on available data, the classification criteria are not met.	
Reproductive toxicity May damage fertility or the unborn child.	
STOT-single exposure May cause drowsiness or dizziness.	
STOT-repeated exposure Based on available data, the classification criteria are not met.	
Aspiration hazard Based on available data, the classification criteria are not met.	
11.2 Information on other hazards	
Endocrine disrupting properties	
26523-78-4 tris(nonylphenyl) phosphite: List I	
128-37-0 Butylated hydroxytoluene: List II	
540-97-6 dodecamethylcyclohexasiloxane: List II	
541-02-6 Decamethylcyclopentasiloxane: List II	
556-67-2 octamethylcyclotetrasiloxane: List II; III	

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

#### 12.7 Other adverse effects

**Remark:** Very toxic for fish

Additional ecological information:

#### General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packaging:** 

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. on page 8)

Printing date 24.01.2025

Version number 3.0

Revision: 24.01.2025

#### Trade name: IRF6TUV-LEDInk, Garment Wh

(Contd. of page 7)

<b>SECTION 14:</b>	Transport	t information
--------------------	-----------	---------------

14.1 UN number or ID number
ADR, IMDG, IATA
14.2 UN proper shipping name
ADR
IMDG

IATA

# 14.3 Transport hazard class(es)





14.4 Packing group

ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant:

> EMS Number: Stowage Category

instruments

Special marking (ADR):

Special marking (IATA):

14.6 Special precautions for user

Class

Label

# UN3082

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tetrahydrofurfuryl Acrylate, 3,3,5-Trimethylcyclohexyl acrylate) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tetrahydrofurfuryl Acrylate, 3,3,5-Trimethylcyclohexyl acrylate), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tetrahydrofurfuryl Acrylate, 3,3,5-Trimethylcyclohexyl acrylate)

9 Miscellaneous dangerous substances and articles. 9

Ш
---

Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F A

Not applicable.

# Transport/Additional information:

Hazard identification number (Kemler code):

14.7 Maritime transport in bulk according to IMO

ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	(-)
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
	(Contd. on page 9)

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 Version number 3.0

Revision: 24.01.2025

#### Trade name: IRF6TUV-LEDInk, Garment Wh

**UN "Model Regulation":** 

Printing date 24.01.2025

(Contd. of page 8) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TETRAHYDROFURFURYL A C R Y L A T E , 3 , 3 , 5 - T R I M E T H Y L C Y C L O H E X Y L ACRYLATE), 9, III

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

108-88-3 Toluene: 3

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

108-88-3 Toluene: 3

National regulations:

Other regulations, limitations and prohibitive regulations Substances of very high concern (SVHC) according to REACH, Article 57

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### Relevant phrases

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H351 Suspected of causing cancer.

Version number 3.0

Revision: 24.01.2025

#### Trade name: IRF6TUV-LEDInk, Garment Wh

May damage fertility or the unborn child. H360 H360Fd May damage fertility. Suspected of damaging the unborn child. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. Date of previous version: 13.03.2024 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Skin Sens. 1B: Skin sensitisation - Category 1B Carc. 2: Carcinogenicity - Category 2 Repr. 1B: Reproductive toxicity - Category 1B Repr. 1B: Reproductive toxicity - Category 1B STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 \* Data compared to the previous version altered.

(Contd. of page 9)