

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/22/2024

Version: 3.0

Reviewed on 01/22/2024

Page 1/8

1 Identification

Product identifier

Product name: Cyan, UV-LED IR2 Ink

Article number: I-7116 Application of the substance / the mixture: Printing inks

Details of the supplier of the safety data sheet

Direct Color Systems 99 Hammer Mill Rd. Rocky Hill, CT 06067-USA Manufacturer/Supplier: Direct Color Systems 99 Hammer Mill Rd. Rocky Hill, CT 06067-USA Emergency telephone number US: 24/7 CHEMTREC 1-800-424-9300 Emergency telephone number International: 24/7 CHEMTREC +1 703-527-3887

2 Hazard(s) identification

Classification of the substance or mixture

Acute Toxicity - Oral 4H302 Harmful if swallowed.Sensitization - Skin 1H317 May cause an allergic skin reaction.Toxic to Reproduction 1BH360 May damage fertility or the unborn child.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



Signal word Danger

Hazard-determining components of labeling:

2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester
2-phenoxyethyl acrylate
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one
phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide
Hazard statements
Harmful if swallowed.
May cause an allergic skin reaction.
May damage fertility or the unborn child.
Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid breathing dust/fume/gas/mist/vapors/spray

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/22/2024

Version: 3.0

Reviewed on 01/22/2024

Product name: Cyan, UV-LED IR2 Ink

Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with plenty of water. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

≥ 50 - ≤ 100%
≥ 0 - ≤ 10%
≤ 2.5%
≥ 0 - ≤ 2.5%
≥ 0 - ≤ 2.5%
≥ 0 - ≤ 2.5%

4 First-aid measures

Description of first aid measures

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment. Special hazards arising from the substance or mixture No further relevant information available.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/22/2024

Version: 3.0

Reviewed on 01/22/2024

Product name: Cyan, UV-LED IR2 Ink

Advice for firefighters

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see section 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/22/2024

Version: 3.0

Reviewed on 01/22/2024

Product name: Cyan, UV-LED IR2 Ink

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Annearance.

Appearance: Form: Color: Odor: Odor threshold:	Liquid Cyan Characteristic Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.
Flash point:	> 100 °C (> 212 °F)
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper:	Not determined. Not determined.
Vapor pressure:	Not determined.
Density: Relative density Vapor density Evaporation rate	Not determined. Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/wate	er): Not determined.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/22/2024

Version: 3.0

Reviewed on 01/22/2024

Product name: Cyan, UV-LED IR2 Ink

Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available. **Chemical stability**

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 572 - 580 mg/kg

86273-46-3 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester

Oral LD50 500 mg/kg (ATE)

71868-10-5 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one

Oral LD50 500 mg/kg (ATE)

Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

Carcinogenic categories IARC (International Agency for Research on Cancer)

119-61-9 benzophenone: 2B

108-88-3 Toluene: 3

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available. **Persistence and degradability** No further relevant information available.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/22/2024

Version: 3.0

Reviewed on 01/22/2024

Product name: Cyan, UV-LED IR2 Ink

Behavior in environmental systems: Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.
Ecotoxical effects:
Remark: Harmful to fish
Additional ecological information:
General notes:
Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Harmful to aquatic organisms
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

UN-Number	
DOT, IMDG, IATA	not regulated
UN proper shipping name	
DOT, IMDG, IATA	not regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA	
Class	not regulated
Packing group	•
DOT, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II	of
MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	not regulated

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/22/2024

Version: 3.0

Reviewed on 01/22/2024

Product name: Cyan, UV-LED IR2 Ink

	Toxic Substances Control Act):
	aponents of this product are listed, or excluded from listing, on the United States Environmental Protectio Toxic Substances Control Act (TSCA) inventory.
All compor	ents have the value ACTIVE.
Haza	rdous Air Pollutants
67-56-1 n	nethanol
108-88-3 T	oluene
Propos	ition 65
Chem	icals known to cause cancer:
119-61-9 b	enzophenone
Chem	icals known to cause reproductive toxicity for females:
None of the	ingredients is listed.
Chem	icals known to cause reproductive toxicity for males:
None of the	ingredients is listed.
Chem	icals known to cause developmental toxicity:
67-56-1 m	ethanol
108-88-3 T	oluene
Carcin	ogenic categories
EPA	Environmental Protection Agency)
108-88-3 T	oluene: II
TLV	(Threshold Limit Value)
108-88-3 T	oluene: A4
NIOS	H-Ca (National Institute for Occupational Safety and Health)
None of the	ingredients is listed.
	el elements The product is classified and labeled according to the Globally Harmonized System (GHS).
Hazard	pictograms



Signal word Danger

Hazard-determining components of labeling:

2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester 2-phenoxyethyl acrylate 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide Hazard statements Harmful if swallowed. May cause an allergic skin reaction. May damage fertility or the unborn child. **Precautionary statements** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/22/2024

Version: 3.0

Reviewed on 01/22/2024

Product name: Cyan, UV-LED IR2 Ink

Rinse mouth.

If on skin: Wash with plenty of water. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H360 May damage fertility or the unborn child. H361 Suspected of damaging fertility or the unborn child. Contact: Date of preparation / last revision 01/22/2024 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity - Category 4 Sensitization - Skin 1: Skin sensitisation - Category 1 Sensitization - Skin 1A: Skin sensitisation - Category 1A Toxic to Reproduction 1B: Reproductive toxicity - Category 1B Toxic to Reproduction 2: Reproductive toxicity - Category 2 * Data compared to the previous version altered.