



**Safety Data Sheet**  
**FC-7970-CY Light Cyan Highlux UV Ink**

**Revision Date: 11/12/2024**

**Section 1. Identification**

**Product identifier**

<b>Product Identity</b>	<b>FC-7970-CY</b> Light Cyan Highlux UV Ink
<b>Other means of identification</b>	Not Applicable

**Relevant identified uses of the substance or mixture and uses advised against**

**Details of the supplier of the safety data sheet**

<b>Company Name</b>	Direct Color Systems 99 Hammermill Rd. Rocky Hill, CT 06067
<b>Emergency</b>	
<b>24 hour Emergency Telephone No.</b>	24/7 CHEMTREC 800-424-9300
<b>Customer Service:</b>	860-829-2244

**Section 2. Hazard(s) identification**

**Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)**

Acute toxicity(oral), category 4;H302	Harmful if swallowed.
Skin corrosion/irritation category 2;H315	Causes skin irritation.
Serious eye damage / eye irritation, category 2;H319	Causes serious eye irritation.
Skin sensitizer category 1;H317	May cause an allergic skin reaction.
Specific target organ toxicity, repeated exposure category 1;H372	Causes damage to organs through prolonged or repeated exposure.
Aquatic toxicity (chronic), category 3;H412	Harmful to aquatic life with long lasting effects.

**Label elements**

## FC-7970-CY Light Cyan Highlux UV Ink Light Cyan Highlux UV Ink

**Danger**

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

**[Prevention]**

P260 Do not breathe dust, fume, mist, vapors or spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves, eye protection, and face protection.

**[Response]**

P301+312 IF SWALLOWED: Call a POISON CENTER, doctor or physician if you feel unwell.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER, doctor or physician if you feel unwell.

P314 Get Medical advice or attention if you feel unwell.

P330 Rinse mouth.

P333+313 If skin irritation or a rash occurs: Get medical advice or attention.

P337+313 If eye irritation persists: Get medical advice or attention.

P362+364 Take off contaminated clothing and wash it before reuse.



## Safety Data Sheet

Revision Date: 11/12/2024

### FC-7970-CY Light Cyan Highlux UV Ink Light Cyan Highlux UV Ink

#### [Storage]

No GHS storage statements

#### [Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

#### Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does not contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per US or Canadian regulations.

### Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
2-propenoic acid, 3,3,5-trimethylcyclohexyl ester CAS Number: 86178-38-3 Synonyms: No available information	10 - 30		No data available
Pentaerythritol, ethoxylated, esters with acrylic acid CAS Number: 51728-26-8 Synonyms: Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-[(1-oxo-2-propen-1-yl)oxy]-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1)	10 - 30	Serious eye damage / eye irritation, category 2A;H319 Skin corrosion/irritation category 2;H315	No data available
2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester CAS Number: 86273-46-3 Synonyms: VEEA	10 - 30	Acute toxicity(oral), category 4;H302 Skin sensitizer category 1;H317 Aquatic toxicity (chronic), category 3;H412	No data available
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate CAS Number: 84434-11-7 Synonyms: No available information	7 - 13	Skin sensitizer category 1B;H317 Aquatic toxicity (chronic), category 2;H411	No data available
2h-azepin-2-one, 1-ethenylhexahydro- CAS Number: 2235-00-9 Synonyms: Azepin-2-one, 1-ethenylhexahydro-, Monomer	7 - 13	Acute toxicity(oral), category 4;H302 Serious eye damage / eye irritation, category 2;H319 Acute toxicity(dermal), category 4;H312 Specific target organ toxicity, repeated exposure category 1;H372	No data available
2-Propenoic acid, (tetrahydro-2-furanyl)methyl ester CAS Number: 2399-48-6 Synonyms: PROPENOIC ACID, (TETRAHYDRO-2-FURANYL)METHYL ESTER	7 - 13	Skin corrosion/irritation category 2;H315 Serious eye damage / eye irritation, category 2;H319	No data available

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.'-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-2-propenyl)oxy] - CAS Number: 84170-74-1 Synonyms: Propoxylated Neopentyl Glycol Diacrylate Ester	3 - 7	Not Classified	No data available
Ethoxylated trimethylolpropane triacrylate CAS Number: 28961-43-5 Synonyms: Trimethylpropane, ethoxylated, acrylic acid ester	3 - 7	Serious eye damage / eye irritation, category 2;H319 Skin sensitizer category 1;H317	No data available

The actual concentration or concentration range is withheld as a trade secret.

\*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

## Section 4. First aid measures

### Description of first aid measures

- General** In all cases of doubt, or when symptoms persist, seek medical attention.  
Never give anything by mouth to an unconscious person.
- Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
- Eyes** Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
- Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
- Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

### Most important symptoms and effects, both acute and delayed

- Overview** No specific symptom data available.  
Treat symptomatically. See section 2 for further details.
- Eyes** Causes serious eye irritation.
- Skin** May cause an allergic skin reaction. Causes skin irritation.
- Ingestion** Harmful if swallowed.

<b>Section 5. Fire-fighting measures</b>
------------------------------------------

**Extinguishing media**

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.  
Unsuitable extinguishing media: Do not use; water jet.

**Special hazards arising from the substance or mixture**

Hazardous decomposition: No hazardous decomposition data available.  
Do not breathe dust, fume, mist, vapors or spray.

**Advice for fire-fighters**

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

**ERG Guide No.**

----

<b>Section 6. Accidental release measures</b>
-----------------------------------------------

**Personal precautions, protective equipment and emergency procedures**

Put on appropriate personal protective equipment (see section 8).  
Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

**Environmental precautions**

Do not allow spills to enter drains or waterways.

**Methods and material for containment and cleaning up**

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.  
Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

## Section 7. Handling and storage

### Precautions for safe handling

Handle containers carefully to prevent damage and spillage.  
 See section 2 for further details. - [Prevention]

### Conditions for safe storage, including any incompatibilities

Incompatible materials: No available information  
 See section 2 for further details. - [Storage]

### Specific end use(s)

No available information

## Section 8. Exposure controls / personal protection

### Control parameters

#### Exposure Limits

CAS No.	Ingredient	Source	Value
2235-00-9	2h-azepin-2-one, 1-ethenylhexahydro-	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
2399-48-6	2-Propenoic acid, (tetrahydro-2-furanyl)methyl ester	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
28961-43-5	Ethoxylated trimethylolpropane triacrylate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
51728-26-8	Pentaerythritol, ethoxylated, esters with acrylic acid	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

## FC-7970-CY Light Cyan Highlux UV Ink Light Cyan Highlux UV Ink

CAS No.	Ingredient	Source	Value
84170-74-1	Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.'-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-2-propenyl)oxy] -	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
84434-11-7	Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
86178-38-3	2-propenoic acid, 3,3,5-trimethylcyclohexyl ester	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
86273-46-3	2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

### Exposure controls

**Respiratory** If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

**Eyes** Protective safety glasses recommended

**Skin** Avoid skin contact. Wear PVC or rubber gloves to keep skin contact to a minimum. Refer to the manufacturer's recommendations regarding the suitability of any gloves used.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

**Other Work Practices** Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

### Section 9. Physical and chemical properties

**Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid
<b>Color</b>	Cyan
<b>Odor</b>	Ester-like
<b>Melting point / freezing point</b>	No available information
<b>Initial boiling point and boiling range</b>	257°F 125°C
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Upper/lower flammability or explosive limits</b>	<b>Lower Explosive Limit:</b> No available information <b>Upper Explosive Limit:</b> No available information
<b>Flash Point</b>	437°F 225°C, Test method: (Open/Close cup)
<b>Auto-ignition temperature</b>	No available information
<b>Decomposition temperature</b>	No available information
<b>pH</b>	No available information
<b>Viscosity (cSt)</b>	25cP @ 25C
<b>Solubility in Water</b>	No available information
<b>Partition coefficient n-octanol/water (Log Kow)</b>	No available information
<b>Vapor pressure (Pa)</b>	No available information
<b>Relative Density</b>	No available information
<b>Vapor Density</b>	No available information
<b>Evaporation rate (Ether = 1)</b>	No available information
<b>Oxidising properties</b>	No available information
<b>Explosive properties</b>	No available information

**Other information**

No other relevant information.

**Section 10. Stability and reactivity****Reactivity**

Hazardous Polymerization will not occur.

**Chemical stability**

Stable under normal circumstances.

**Possibility of hazardous reactions**

No available information





## Safety Data Sheet

Revision Date: 11/12/2024

FC-7970-CY Light Cyan Highlux UV Ink Light Cyan Highlux UV Ink

### Conditions to avoid

Avoid high temperatures and contact with incompatible material

### Incompatible materials

No available information

### Hazardous decomposition products

No hazardous decomposition data available.

## Section 11. Toxicological information

### Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
2-propenoic acid, 3,3,5-trimethylcyclohexyl ester - (86178-38-3)	No data available.	No data available.	No data available.	No data available.	No data available.
Pentaerythritol, ethoxylated, esters with acrylic acid - (51728-26-8)	No data available.	No data available.	No data available.	No data available.	No data available.
2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester - (86273-46-3)	No data available.	No data available.	No data available.	No data available.	No data available.
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate - (84434-11-7)	> 5,000.00, Rat - Category: NA	> 2,000.00, Rat - Category: NA	No data available.	No data available.	No data available.
2h-azepin-2-one, 1-ethenylhexahydro - - (2235-00-9)	1,114.00, Rat - Category: 4	1,800.00, Rabbit - Category: 4	No data available.	No data available.	No data available.
2-Propenoic acid, (tetrahydro-2-furanyl)methyl ester - (2399-48-6)	No data available.	No data available.	No data available.	No data available.	No data available.
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.'-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-2-propenyl)oxy] - - (84170-74-1)	> 5,000.00, Rat -	> 2,000.00, Rat -	No data	No data	No data



## Safety Data Sheet

Revision Date: 11/12/2024

### FC-7970-CY Light Cyan Highlux UV Ink Light Cyan Highlux UV Ink

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
	Category: NA	Category: NA	available.	available.	available.
Ethoxylated trimethylolpropane triacrylate - (28961-43-5)	>2,000.00, Rat - Category: 5	No data available.	No data available.	No data available.	No data available.

## Carcinogen Data

CAS No.	Ingredient	Source	Value
2235-00-9	2h-azepin-2-one, 1-ethenylhexahydro-	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
2399-48-6	2-Propenoic acid, (tetrahydro-2-furanyl)methyl ester	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
28961-43-5	Ethoxylated trimethylolpropane triacrylate	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
51728-26-8	Pentaerythritol, ethoxylated, esters with acrylic acid	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
84170-74-1	Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.'-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-2-propenyl)oxy] -	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
84434-11-7	Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
86178-38-3	2-propenoic acid, 3,3,5-trimethylcyclohexyl ester	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
86273-46-3	2-Propenoic acid, 2-[2-(ethenyl)ethoxy]ethyl ester	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
----------------	----------	--------------------



**Safety Data Sheet**  
**FC-7970-CY Light Cyan Highlux UV Ink Light Cyan Highlux UV Ink**

Revision Date: 11/12/2024

Acute toxicity (oral)	4	Harmful if swallowed.
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization	---	Not Applicable
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	1	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	---	Not Applicable

**Possible routes of entry:**

**Symptoms and effects, both acute and delayed:**

No specific symptom data available.

Treat symptomatically.

**Eyes** Causes serious eye irritation.  
**Skin** May cause an allergic skin reaction. Causes skin irritation.  
**Ingestion** Harmful if swallowed.

**Section 12. Ecological information**

**Toxicity**

Harmful to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.

**Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
2-propenoic acid, 3,3,5-trimethylcyclohexyl ester - (86178-38-3)	No data available.	No data available.	No data available.

**FC-7970-CY Light Cyan Highlux UV Ink Light Cyan Highlux UV Ink**

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Pentaerythritol, ethoxylated, esters with acrylic acid - (51728-26-8)	No data available.	No data available.	No data available.
2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester - (86273-46-3)	No data available.	No data available.	No data available.
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate - (84434-11-7)	1.89, Danio rerio	2.26, Daphnia magna	1.01, Desmodesmus subspicatus
2h-azepin-2-one, 1-ethenylhexahydro- - (2235-00-9)	318.00, Danio rerio	101.00, Daphnia magna	101.00, Desmodesmus subspicatus
2-Propenoic acid, (tetrahydro-2-furanyl)methyl ester - (2399-48-6)	No data available.	No data available.	No data available.
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.'-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-2-propenyl)oxy] - - (84170-74-1)	2.70, Danio rerio	37.00, Daphnia magna	11.00, Pseudokirchneriella subcapitata
Ethoxylated trimethylolpropane triacrylate - (28961-43-5)	1.95, Danio rerio	70.70, Daphnia magna	2.20, Desmodesmus subspicatus

**Persistence and degradability**

There is no data available on the preparation itself.

**Bioaccumulative potential**

No available information

**Mobility in soil**

No available information

**Results of PBT and vPvB assessment**

This product contains no PBT/vPvB/vPvM chemicals.

**Other adverse effects**

No available information

**Section 13. Disposal considerations**



Safety Data Sheet  
FC-7970-CY Light Cyan Highlux UV Ink

Revision Date: 11/12/2024

Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.

Section 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
UN number	Not Regulated	Not Regulated	Not Applicable
UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
Transport hazard class(es)	Class:Not Regulated Sub Class:Not Applicable	Class:Not Regulated Sub Class:Not Applicable	Class:Not Regulated Sub Class:Not Applicable
Packing group	Not Regulated	Not Regulated	Not Regulated

Environmental hazards

Marine Pollutant: No;

Special precautions for user

No available information

Section 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Toxic Substance Control Act (TSCA)

CAS Number	Ingredient	Toxic Substance Control Act (TSCA)	Comments	Status
0002399-48-6	2-Propenoic acid, (tetrahydro-2-furanyl)methyl ester	Yes		ACTIVE



## Safety Data Sheet

Revision Date: 11/12/2024

### FC-7970-CY Light Cyan Highlux UV Ink Light Cyan Highlux UV Ink

0086273-46-3	2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester	Yes	PMN; S; SE	ACTIVE
0086178-	2-propenoic acid, 3,3,5-trimethylcyclohexyl ester	Yes	PMN	ACTIVE



**Safety Data Sheet**  
**FC-7970-CY Light Cyan Highlux UV Ink**

Revision Date: 11/12/2024

CAS Number	Ingredient	Toxic Substance Control Act (TSCA)	Comments	Status
38-3				
0002235-00-9	2h-azepin-2-one, 1-ethenylhexahydro-	Yes		ACTIVE
0028961-43-5	Ethoxylated trimethylolpropane triacrylate	Yes	XU	ACTIVE
0084434-11-7	Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	No		
0051728-26-8	Pentaerythritol, ethoxylated, esters with acrylic acid	Yes	PMN; XU	ACTIVE
0084170-74-1	Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.'-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-2-propenyl)oxy] -	Yes	PMN; XU	ACTIVE

**EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**EPCRA 313 Toxic Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Carcinogens (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 Label Warning:**

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

**Section 16. Other information**



**Safety Data Sheet**  
**FC-7970-CY Light Cyan Highlux UV Ink Light Cyan Highlux UV Ink**

**Revision Date: 11/12/2024**

**Revision Date**

**11/12/2024**

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Disclaimer: The information presented herein is supplied as a guide to those who handle or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

**End of Document**