

**Revision Date: 14/7/2025** 

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

**Product Identity** Chromasphere UV FX Varnish (D-7920-VA)

Alternate Names Chromasphere FX Varnish

**Unique Formula Identifier** 

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended Uses and Uses Advised Against See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Direct Color Systems

99 Hammermill Rd. Rocky Hill, CT 06067

Customer Service: Direct Color Systems 860-829-2244

1.4. Emergency telephone number

**Emergency** 

**24 hour Emergency Telephone No.** 24/7 CHEMTREC 800-424-9300

#### Section 2. Hazard identification of the product

# 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin corrosion/irritation category 2;H315 Causes skin irritation.

Serious eye damage / eye irritation, category Causes serious eye irritation.

2;H319

Skin sensitizer category 1;H317 May cause an allergic skin reaction.

Single target organ toxicity, repeated Causes damage to organs through prolonged

exposure category 1;H372 or repeated exposure.



**Revision Date: 14/7/2025** 

Aquatic toxicity (chronic), category 2;H412

Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

According to REGULATION (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006



#### Warning

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

P260 Do not breathe dust, fume, mist, vapors or spray.

P273 Avoid release to the environment.

P391 Collect spillage.

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.

P280 Wear protective gloves, eye protection, and face protection.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

#### 2.3. Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.



**Revision Date: 14/7/2025** 

## Section 3. Composition/information on ingredients

## 3.2. Mixtures

If the product contains substances that present a hazard according to Regulation (EC) No. 1272/2008 [CLP/GHS], they are listed below.

Ingredient/Chemical Designations	Weight	EC No. 1272/2008 Classification	Notes
2-Propenoic acid, 2-phenoxyethyl ester CAS Number: 48145-04-6	25 - 45	Skin sensitizer category 1;H317 Serious eye damage / eye irritation, category 2;H319 Aquatic toxicity (chronic), category 2;H411	
2-Propenoic acid, (tetrahydro-2-furanyl)methyl ester CAS Number: 2399-48-6 EC No. 219-268-7 REACH #: 01-2120738396-46	15 -25	Skin corrosion/irritation category 2;H315 Serious eye damage / eye irritation, category 2;H319	
2h-azepin-2-one, 1-ethenylhexahydro- CAS Number: 2235-00-9	10 - 13	Acute toxicity(oral), category 4;H302 Serious eye damage / eye irritation, category 2;H319 Acute toxicity(dermal), category 4;H312 Single target organ toxicity, repeated exposure category 1;H372	
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.'-(2,2-dimethyl-1,3-propanediyl)bis[.omega[(1-oxo-2-propenyl)oxy] - CAS Number: 84170-74-1	7 - 10	Not Classified	
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate CAS Number: 84434-11-7 EC No. 282-810-6 REACH #: 01-2119987994-10	7 - 8	Skin sensitizer category 1B;H317 Aquatic toxicity (chronic), category 2;H411	
Blue pigment CAS Number: 147-14-8 EC No. 205-685-1 REACH #: 01-2119458771-32	1 - 4	Combustible Dust	
Pentaerythritol, ethoxylated, esters with acrylic acid CAS Number: 51728-26-8 EC No. 500-111-9	1-4	Eye Dam. 2;H319 Skin corrosion/irritation category 2;H315	

^CLP 31 Reference EC No. 1272/2008 1.1.3.1. Notes relating to the identification, classification and labelling of substances (Table 3.1).

\*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

## Section 4. First aid measures



**Revision Date: 14/7/2025** 

## 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or

stopped, give artificial respiration. If unconscious, place in the recovery position

and obtain immediate medical attention. Give nothing by mouth.

**Eye** Irrigate copiously with clean water for at least 15 minutes, holding the eyelids

apart and seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or

use a recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce

vomiting.

## 4.2. Most important symptoms and effects, both acute and delayed

**Overview** No specific symptom data available.

No chronic toxicity or long term toxicity information available. Treat

symptomatically. See section 2 for further details.

**Inhalation** 

**Eye** Causes serious eye irritation.

**Skin** May cause an allergic skin reaction. Causes skin irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to** Treat symptomatically. IF ON SKIN: Wash with plenty of soap and water. IF IN **physician** EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Get Medical advice or attention if you feel unwell. If skin irritation or a rash occurs: Get medical advice or attention. If eye irritation persists: Get medical advice or attention.

Take off contaminated clothing and wash it before reuse.

#### Section 5. Fire-fighting measures

## 5.1. Extinguishing media



**Revision Date: 14/7/2025** 

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Do not breathe dust, fume, mist, vapors or spray.

#### 5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

#### Section 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Do not breathe dust, fume, mist, vapors or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace.

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse. Avoid release to the environment. Collect spillage. Dispose of contents or container in accordance with local and national regulations.

#### 6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.



**Revision Date: 14/7/2025** 

#### 6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

## Section 7. Handling and storage

# 7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage. Wear protective gloves, eye protection, and face protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: No available information

## 7.3. Specific end use(s)

No available information

## Section 8. Exposure controls / personal protection

# 8.1. Control parameters

## **Exposure Limits**

CAS No.	Ingredient	Source	Value
Secret	pigment	ACGIH	No Established
			Limit
		DNEL Local Exposure	No Established
			Limit
		DNEL Systematic	No Established
		Exposure	Limit
		National	No Established
			Limit
2235-00-	2h-azepin-2-one, 1-ethenylhexahydro-	ACGIH	No Established
9			Limit
		DNEL Local Exposure	0.17 mg/m <sup>3</sup>
		DNEL Systematic	4.9 mg/m <sup>3</sup>
		Exposure	
		National	No Established
			Limit
2399-48-	2-Propenoic acid, (tetrahydro-2-furanyl)methyl ester	ACGIH	No Established
6			Limit



Revision	Date:	14/7/2025
----------	-------	-----------

CAS No.	Ingredient	Source	Value
		DNEL Local Exposure	No Established Limit
		DNEL Systematic Exposure	1.73 mg/m <sup>3</sup>
		National	No Established Limit
48145- 04-6	2-Propenoic acid, 2-phenoxyethyl ester	ACGIH	No Established Limit
		DNEL Local Exposure	77 mg/m <sup>3</sup>
		DNEL Systematic	12 mg/m <sup>3</sup>
		Exposure	
		National	No Established Limit
51728- 26-8	Pentaerythritol, ethoxylated, esters with acrylic acid	ACGIH	No Established Limit
		DNEL Local Exposure	No Established Limit
		DNEL Systematic	0.88 mg/m <sup>3</sup>
		Exposure	
		National	No Established Limit
84170- 74-1	Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.'-(2,2-dimethyl-1,3-propanediyl)bis[.omega[(1-oxo-2-propenyl)oxy] -	ACGIH	No Established Limit
		DNEL Local Exposure	No Established Limit
		DNEL Systematic	No Established
		Exposure	Limit
		National	No Established Limit
84434- 11-7	Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	ACGIH	No Established Limit
		DNEL Local Exposure	No Established Limit
		DNEL Systematic Exposure	4.93 mg/m <sup>3</sup>
		National	No Established Limit

# 8.2. Exposure controls

**Respiratory** If workers are exposed to concentrations above the exposure limit they must

use the appropriate, certified respirators.

**Eyes** Protective safety glasses recommended

**Skin** Avoid skin contact. Use chemical resistant gloves classified under Standard

EN 374: Protective gloves against chemicals and micro-organisms. Recommended: Viton or Nitrile gloves. When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a

protection class of 2 or higher (breakthrough time greater than 30 minutes according to EN 374) is recommended. The user must check that the final



**Revision Date: 14/7/2025** 

choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/ specifications provided by the glove supplier. Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### Section 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical StateLiquidColorBlue

Odor No available information
Odor threshold No available information
Melting point / freezing point No available information
Initial boiling point and boiling range No available information

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive Lower Explosive Limit: No available

**limits** information

Upper Explosive Limit: No available

information

2.420F.4220G

Flash Point 248°F 120°C, Test method: (Closed cup)

Auto-ignition temperatureNo available informationDecomposition temperatureNo available informationpHNo available information



**Revision Date: 14/7/2025** 

Viscosity (cSt)

Solubility in Water

Partition coefficient n-octanol/water (Log

No available information

No available information

Kow)

Vapor pressure (Pa)No available informationRelative DensityNo available informationVapor DensityNo available information

**Evaporation rate (Ether = 1)**No available information

VOC Content 0 lbs/gal

Oxidising propertiesNo available informationExplosive propertiesNo available information

#### 9.2. Other information

No other relevant information.

# Section 10. Stability and reactivity

### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

### 10.3. Possibility of hazardous reactions

No available information

#### 10.4. Conditions to avoid

Avoid high temperatures and contact with incompatible material

### 10.5. Incompatible materials

No available information

#### 10.6. Hazardous decomposition products

No hazardous decomposition data available.

#### Section 11. Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**



**Revision Date: 14/7/2025** 

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
pigment - (Secret)	6,401.00, Rat -	> 5,000.00, Rat	No data	No data	No data
	Category: NA	- Category: NA	available.	available.	available.
2h-azepin-2-one, 1-ethenylhexahydro (2235-00-9)	1,114.00, Rat - Category: 4	1,800.00, Rabbit - Category: 4	No data available.	No data available.	No data available.
2-Propenoic acid, (tetrahydro-2-furanyl)methyl ester - (2399-48-6)	No data	No data	No data	No data	No data
	available.	available.	available.	available.	available.
2-Propenoic acid, 2-phenoxyethyl ester - (48145-04-6)	4,660.00, Rat -	2,540.00, Rat -	No data	No data	No data
	Category: 5	Category: 5	available.	available.	available.
Pentaerythritol, ethoxylated, esters with acrylic acid - (51728-26-8)	No data	No data	No data	No data	No data
	available.	available.	available.	available.	available.
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.'-(2,2-dimethyl-1,3-propanediyl)bis[.omega[(1-oxo-2-propenyl)oxy] (84170-74-1)	> 5,000.00, Rat	> 2,000.00, Rat	No data	No data	No data
	- Category: NA	- Category: NA	available.	available.	available.
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate - (84434-11-7)	> 5,000.00, Rat	> 2,000.00, Rat	No data	No data	No data
	- Category: NA	- Category: NA	available.	available.	available.

Classification	Category	Hazard Description
Acute toxicity (oral)		
Acute toxicity (dermal)		
Acute toxicity (inhalation)		
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye	2	Causes serious eye irritation.
damage/irritation		
Respiratory sensitization		
Skin sensitization	1	May cause an allergic skin reaction.



		T
Germ cell mutagenicity		
Carcinogenicity		
Reproductive toxicity		
STOT-single exposure		
STOT-repeated exposure	1	Causes damage to organs through prolonged or
		repeated exposure.
Aspiration hazard		

**Revision Date: 14/7/2025** 

#### 11.2 Information on other hazards

# 11.2.1. Endocrine disrupting properties

This product contains no endocrine disrupting chemicals.

# Section 12. Ecological information

# 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.

# **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L	3hr IC50 Bacteria mg/L	Biodegradability %
pigment - (Secret)	>100.00, Danio rerio	501.00, Daphnia magna	>100.00, Desmodesmus subspicatus	10,001.00	0.99
2h-azepin-2-one, 1-ethenylhexahydro (2235-00-9)	318.00, Danio rerio	>100.00, Daphnia magna	>100.00, Desmodesmus subspicatus		40.00
2-Propenoic acid, (tetrahydro-2-furanyl)methyl ester - (2399-48-6)	No data available.	No data available.	No data available.		
2-Propenoic acid, 2-phenoxyethyl ester - (48145-04-6)	10.00, Leuciscus idus	1.21, Daphnia magna	1.70, Desmodesmus subspicatus	177.00	22.30
Pentaerythritol, ethoxylated, esters with acrylic acid - (51728-26-8)			No data available.		



Revisi	on D	ate:	14/7	/2025
--------	------	------	------	-------

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L	3hr IC50 Bacteria mg/L	Biodegradability %
	No data available.	No data available.			
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.'- (2,2-dimethyl-1,3-propanediyl)bis[.omega[(1-oxo- 2-propenyl)oxy] (84170-74-1)	2.70, Danio rerio	37.00, Daphnia magna	11.00, Pseudokirchneriella subcapitata		41.00
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate - (84434-11-7)	1.89, Danio rerio	2.26, Daphnia magna	1.01, Desmodesmus subspicatus	>1,000.00	Not readily biodegradable

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

## 12.3. Bioaccumulative potential

No available information

## 12.4. Mobility in soil

No available information

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

## 12.6 Endocrine disrupting properties

This product contains no endocrine disrupting chemicals.

## 12.7. Other adverse effects

No available information

## Section 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

# **Section 14. Transport information**



**Revision Date: 14/7/2025** 

Not regulated.

	ADR/RID	IMO / IMDG (Ocean	ICAO/IATA
		Transportation)	
14.1. UN number	Not Regulated	Not Regulated	Not Regulated
14.2. UN proper	Not Regulated	Not Regulated	Not Regulated
shipping name			
14.3. Transport	Class:N/A	Class:N/A	Class:N/A
hazard class(es)	<b>Sub Class:</b> Not Applicable	Sub Class:Not Applicable	<b>Sub Class:</b> Not Applicable
14.4. Packing group	N/A	N/A	N/A

#### 14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No available information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

#### Section 15. Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU Legislation**

REGULATIONS (EU) 2023/707, (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH). REGULATION (EC) 1272/2008 on the classification, labeling and packaging of substances and mixtures (CLP).

Candidate List of SVHC for Authorisation: Not Applicable



**Revision Date: 14/7/2025** 

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles:

Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate (Use restricted. See item 3. (liquid))

## 15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

#### Section 16. Other information

Revision Date
Revision Number

14/7/2025

1

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.



**Revision Date: 14/7/2025** 

ACGIH - American Conference of Governmental Industrial Hygienists

ADR - International Carriage of Dangerous Goods by Road (Accord Dangereux Routier)

CAS - Chemical Abstract Service

CLP - Classification Labeling and Packaging

**DOT - Department of Transportation** 

EC50 - European Commission

EC50 - Half maximal effective concentration

ErC50 - The concentration of test substance which results in a 50 percent reduction in growth rate (ErC50) relative to the control within 72hrs exposure.

GHS - Globally Harmonized System

IARC - International Agency for Research on Cancer

IATA - International Civil Aviation Organization

IC50 - The amount of a substance suspended in the air required to kills 50% of a test animals during a predetermined observation period.

ICAO - International Civil Aviation Organization

IMDG - International Maritime Dangerous Goods

IMO - International Maritime Organization

LC50 - Is the Lethal Concentration of a substance at which 50% of test animals die.

LD50 - Is the Lethal Dose at which 50% of the animals will be expected to die.

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PBT - Persistent, Bioaccumulative and Toxic Chemicals

PEL - Permissible Exposure Limit

REACH - Registration, Evaluation, Authorization and Restriction of Chemicals

RID - Regulations concerning the international carriage of dangerous goods by rail)

STEL - Short Term Exposure Limit

TWA - Time Weighted Average

vPvB - Very Persistent and very Bio-accumulative

WGK - Water Hazard Class

# Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification

Skin corrosion/irritation category 2;H315

Serious eye damage / eye irritation, category 2;H319

Skin sensitizer category 1;H317

Justification

Calculation method

Calculation method



**Revision Date: 14/7/2025** 

Single target organ toxicity, repeated exposure category 1;H372 Calculation method Aquatic toxicity (chronic), category 2;H412 Calculation method

Disclaimer: The information presented herein is supplied as a guide to those who handle or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

**End of Document**